

Cardiovascular

- 1 Dissociation between force and $[Ca^{2+}]_i$ during extra-systoles in guinea-pig ventricular muscle micro-injected with fura-2 *H. Arheden, P. Hellstrand and B. Wohlfart*
- 9 Endogenous muscarinic activity attenuates adrenergic inotropic effects in field stimulated atrial myocardium from children with congenital heart defects *K. Borthne, A. Langslet, H. Lindberg, J.-B. Osnes and T. Skomedal*
- 15 Dilatory responses to acetylcholine/calcitonin gene-related peptide and substance P in the congestive heart failure rat *A. Bergdahl, S. Valdemarsson, T. Nilsson, X.-Y. Sun, T. Hedner and L. Edvinsson*
- 25 Neurohumoral responses to a single haemodialysis in chronic renal patients *P. Uusimaa, K. Huttunen, H. Ruskoaho, M. Linnaluoto and M. Ikäheimo*
- 33 Specific blood flow reducing effects of hyperoxaemia on high flow capillaries in the pig brain *F. Sjöberg, U. Gustafsson and C. Eintrei*
- 39 C-peptide potentiates the vasoconstrictor effect of neuropeptide Y in insulin-dependent diabetic patients *B.-L. Johansson and J. Pernow*

Exercise

- 45 Effects of exhaustive exercise on biochemical characteristics of sarcoplasmic reticulum from rat soleus muscle *T. Yasuda, S. Inashima, S. Sasaki, K. Kikuchi, S. Niibata, S. Katsuta and M. Wada*
- 51 Responses of total and free insulin-like growth factor-I and insulin-like growth factor binding protein-3 after resistance exercise and training in elderly subjects *S. Berman, P. Ferrari, P. Bernard, S. Altare and C. Dolisi*

- 57 Gender differences in skeletal muscle fibre damage after eccentrically biased downhill running in rats *J. Komulainen, S. O. A. Koskinen, R. Kalliokoski, T. E. S. Takala and V. Vihko*
- 65 Oxidative stress and haematological changes in immobilized rats *K. Oishi, M. Yokoi, S. Maekawa, C. Sodeyama, T. Shiraishi, R. Kondo, T. Kuriyama and K. Machida*
- 71 Attenuating the decline in ATP arrests the exercise training-induced increases in muscle GLUT4 protein and citrate synthase activity *B. B. Yaspelkis III, A. L. Castle, Z. Ding and J. L. Ivy*
- 81 Physiological oxygen concentration gives an oscillating spontaneous tone in guinea-pig tracheal preparations *S. Skogvall and W. Grampp*
- 95 Effects of pituitary adenylate cyclase activating polypeptide-27 (PACAP) and vasoactive intestinal polypeptide (VIP) on chloride in HT29 cells studied by X-ray microanalysis *W. Zhang and G. M. Roomans*
- 103 Mechanisms of impaired urinary concentrating ability in adult rats treated neonatally with enalapril *G. Guron, A. Nilsson, N. Nitescu, S. Nielsen, B. Sundelin, J. Frøkiær and P. Friberg*

Rapid communications

- 113 pH after competitive rowing: the lower physiological range? *H. B. Nielsen*
- 115 Renomedullary interstitial cells regulate hyaluronan turnover depending on growth media osmolality suggesting a role in renal water handling *P. Hansell, C. Maric, D. Alcorn, V. Göransson, C. Johnson and R. Hällgren*
- 117 Instructions for authors

Cardiovascular

- 121 Relationship between systemic blood pressure, airway blood flow and plasma exudation in guinea-pig *Z.-H. Cui, H. Arakawa, I. Kavikova, B.-E. Skoogh and J. Lötvall*
- 129 Diabetic alteration of cardiac vago-sympathetic modulation assessed with tone-entropy analysis *E. Oida, T. Kannagi, T. Moritani and Y. Yamori*
- 135 Telemetric registration of heart rate and blood pressure in the same unrestrained goats during perianancy, lactation and the non-pregnant, non-lactating period *E. Hydbring, K. Cvek and K. Olsson*
- 143 Interaction between the renin-angiotensin system and insulin-like growth factor I in aorto-caval fistula-induced cardiac hypertrophy in rats *H. Wähländer, A. Wickman, J. Isgaard and P. Friberg*

- 155 Relationship between blood pressure and heart-rate variability during graded head-up tilt *Y. Yokoi and K. Aoki*
- 163 Haemodynamic influence and endothelin-1 plasma concentrations by selective or non-selective endothelin receptor antagonists in the pig *in vivo* *P. Holm and A. Franco-Cereceda*

Exercise

- 169 Effects of nitric oxide inhalation on pulmonary gas exchange during exercise in highly trained athletes *F. Durand, P. Mucci, L. Safont and C. Prefaut*
- 177 Serial effects of high-resistance and prolonged endurance training on Na^+ - K^+ pump concentration and enzymatic activities in human vastus lateralis *H. J. Green, A. Dabhi, K. Shoemaker, C. Goreham, E. Bombardier and M. Ball-Burnett*
- 185 Changes in myosin heavy chain profile of mature regenerated muscle with endurance training in

- rat *A. X. Bigard, C. Janmot, H. Sanchez, B. Serrurier, S. Pollet and A. d'Albis*
- 193 Regulation of GLUT4 protein expression and glycogen storage after prolonged exercise *C.-H. Kuo, K. S. Browning and J. L. Ivy*
- 203 Body composition, resting and running metabolic rates, and net cost of running in rats during starvation *E. Fuglei and N. A. Ørntland*
- Cell biology**
- 211 Carbonic anhydrase IV activity is localized on the exterior surface of human erythrocytes *P. J. Wistrand, N. D. Carter, C. W. Conroy and I. Mahieu*
- 219 Localization of carbonic anhydrase in swimbladder of European eel (*Anguilla anguilla*) and perch (*Perca fluviatilis*) *J. Wörtz, W. Salvenmoser and B. Peltzer*
- Miscellaneous**
- 225 Vasoactive intestinal peptide suppresses migrating myoelectric complex of rat small intestine independently of nitric oxide *T. Ljung and P. M. Hellström*
- 233 Plasma leptin and insulin in C57B1/6J mice on a high-fat diet: relation to subsequent changes in body weight *B. Ahren*

Volume 165, Number 3, March 1999

- Cell biology**
- 241 Effects of UTP on Na^+ , Cl^- and K^+ transport in primary cultures from human sweat gland coils *J. Hongpaisan and G. M. Roomans*
- 251 Influence of local haemodynamics on leucocyte rolling and chemoattractant-induced firm adhesion in microvessels of the rat mesentery *X. Xie, P. Hedqvist and L. Lindbom*
- 259 Bradykinin elevates cytosolic Ca^{2+} concentration in smooth muscle cells isolated from rat duodenum *I. Wassdal, K. Larsen and J.-G. Iversen*
- Polypeptides**
- 265 Blood oxygen partial pressure affects plasma prolactin concentration in humans *H. K. Strüder, W. Hollmann, H. Weicker, T. Schiffer and K. Weber*
- 271 Mechanisms of the relaxant and contractile responses to bradykinin in rat duodenum *I. Wassdal, G. Nicolaysen and J.-G. Iversen*
- 277 Vagal stimulation augments maximal (penta) gastrin stimulated acid secretion in humans *G. Qvigstad, M. Bjørgaas, I. Eide, A. K. Sandvik and H. L. Waldum*
- Circulation**
- 283 Minor redistribution of ventilation and perfusion within the lung during exercise in sheep *M. N. Melsom, T. Flatebo, Ø. V. Sjaastad, A. Aulie and G. Nicolaysen*
- 293 Catecholamines in pericardial fluid of normotensive, spontaneously hypertensive and reserpine-treated rats *R. Klemola, P. Huttunen, M. Laine, M. Weckström and J. Hirvonen*
- Metabolism: general physiology**
- 299 Body core temperature during food restriction in rats *T. Severinsen and I. C. Munch*
- 307 Regulation of glycogen breakdown by glycogen level in contracting rat muscle *K. Vandenbergh, E. A. Richter and P. Hespel*
- 315 Jejunal permeability in humans *in vivo* and rats *in situ*: investigation of molecular size selectivity and solvent drag *U. Fagerholm, D. Nilsson, L. Knutson and H. Lennernäs*
- 325 Metoprine-induced thirst and diuresis in Wistar rats *A. Lecklin, L. Eriksson, J. Leppälä, J. Tarbanen and L. Tuomisto*
- Rapid communication**
- 335 Related expression of vascular endothelial growth factor and hypoxia-inducible factor-1 mRNAs in human skeletal muscle *T. Gustafsson, A. Puntschart, C. J. Sundberg and E. Jansson*

Volume 165, Number 4, April 1999

- Muscle**
- 337 High-intensity exercise and muscle glycogen availability in humans *P. D. Balsom, G. C. Gaitanos, K. Söderlund and B. Ekblom*
- 347 Swelling of sarcoplasmic reticulum in the periphery of muscle fibres after isometric contractions in rat semimembranosus lateralis muscle *M. E. T. Willems, P. A. Huijings and J. Fridén*
- 357 Loss of potassium from muscle during moderate exercise in humans: a result of insufficient activation of the $\text{Na}^+\text{-K}^+$ -pump? *E. Verburg, J. Hallén, O. M. Sejersted and N. K. Vollestad*
- 369 Reflection coefficient for albumin and capillary fluid permeability in cat calf muscle after traumatic injury *L. Kongstad, A.D. Möller and P.-O. Grände*
- Cardiovascular**
- 379 The influence of transmural pressure and longitudinal stretch on K^+ - and Ca^{2+} -induced coronary artery constriction *O. Frøbert, E. O. Mikkelsen and J. P. Bagger*

- 387 Cardiodepressant mediators are released after myocardial ischaemia: modulation by catecholamines and adenosine V. Stangl, C. Harms, T. Frank, K. Stangl, J. Muß, K. Buttke, G. Baumann and S. B. Felix
- 395 The Kety-Schmidt technique for repeated measurements of global cerebral blood flow and metabolism in the conscious rat R. Linde, I. K. Schmalbruch, O. B. Paulson and P. L. Madsen
- 403 The protein tyrosine kinase pathway is not involved in the regulation of K^+ transport across the rat colon B. Heinke, S. Hörger and M. Diener
- 409 Time course of the inflammatory response to histamine and allergen skin prick test in guinea-pigs V. Evilevitch, T. T. Wu, L. Lindgren, L. Grieff, K. Norrgren and P. Wollmer
- 415 Effects of hydrogen peroxide on the guinea pig tracheobronchial mucosa *in vivo* L. Grieff, I. Erjefält, J. S. Erjefält, P. Wollmer and C. G. A. Persson

Rapid communication

- 421 Physiological significance of absolute heart rate variability in postural change E. Oida, T. Kannagi, T. Moritani and Y. Yamori

Miscellaneous

- 423 Erratum
- 425 Author index
- 429 Subject index
- A1 Proceedings of the Scandinavian Physiological Society Meeting in Lund 23–25 October 1998



